

Vehicle Exhaust Hose

350 Deg. Crush Resistant (Hose Reel)	Eurovac Part No.	Description
		350 DEGREE CRUSH RESISTENT HOSE Hose Clamp Connection: <ul style="list-style-type: none"> • Bridge Clamp: CCW (Left Hand) Weights: <ul style="list-style-type: none"> • 4" Hose = .43 lbs per ft
	HOS-V40-CFSBLH00	4" Black (350 Degree) Crush Resistant Hose w/ Black Plastic Helix - per ft
	HOS-V50-CFSBLH00	5" Black (350 Degree) Crush Resistant Hose w/ Black Plastic Helix - per ft
350 Deg. Hose (Hose Reel)	Eurovac Part No.	Description
		350 DEGREE HOSE Application: <ul style="list-style-type: none"> • Alternative hose to above crush resistant Hose Clamp Connection: <ul style="list-style-type: none"> • Bridge Clamp: CW (Right Hand)
	HOS-V40-VE035000	4" Black (350 Degree) Hose w/ Steel Helix - per ft
	HOS-V50-VE035000	5" Black (350 Degree) Hose w/ Steel Helix - per ft
	HOS-V60-VE035000	6" Black (350 Degree) Hose w/ Steel Helix - per ft
450 Deg. Crushproof Flarelock	Eurovac Part No.	Description
		450 DEGREE CRUSHPROOF HOSE Weights: <ul style="list-style-type: none"> • 3" Hose = .85 lbs per ft
	HOS-VEA-FLT30000	3" x 11' Black (450 Degree) Crushproof Flarelock Hose - each
	HOS-VEA-FLT40000	4" x 11' Black (450 Degree) Crushproof Flarelock Hose - each
600 Deg. High Temp (Hose Drop)	Eurovac Part No.	Description
		600 DEGREE SILICONE FIBERGLASS HOSE
	HOS-V40-SILOFIBO	4" Orange (600 Degree) Silicone Fiberglass Hose - per ft.
	HOS-V50-SILOFIBO	5" Orange (600 Degree) Silicone Fiberglass Hose - per ft.
	HOS-V60-SILOFIBO	6" Orange (600 Degree) Silicone Fiberglass Hose - per ft.
	HOS-V80-SILOFIBO	8" Orange (600 Degree) Silicone Fiberglass Hose - per ft.

600 Deg. High Temp (Hose Reel)	Eurovac Part No.	Description
		600 DEGREE SILICONE NOMEX HOSE Hose Clamp Connection: <ul style="list-style-type: none"> ● Bridge Clamp: CCW (Left Hand) Weights: <ul style="list-style-type: none"> ● 6" = .94 lbs per ft
	HOS-V40-SILONOMO	4" Orange (600 Degree) Silicone Nomex Hose - per ft.
	HOS-V50-SILONOMO	5" Orange (600 Degree) Silicone Nomex Hose - per ft.
	HOS-V60-SILONOMO	6" Orange (600 Degree) Silicone Nomex Hose - per ft.
	HOS-V80-SILONOMO	8" Orange (600 Degree) Silicone Nomex Hose - per ft.
700 Deg. High Temp (Hose Reel)	Eurovac Part No.	Description
		700 DEGREE HOSE Hose Clamp Connection: <ul style="list-style-type: none"> ● Bridge Clamp: CW (Right Hand) Weights: <ul style="list-style-type: none"> ● 4" Hose = .6 lbs per ft ● 5" Hose = .74 lbs per ft ● 6" Hose = .91 lbs per ft ● 8" Hose = 1 lbs per ft Max Length Available: <ul style="list-style-type: none"> ● 50'
	HOS-V40-VE070000	4" Dark Grey (700 Degree) Hose - per ft.
	HOS-V50-VE070000	5" Dark Grey (700 Degree) Hose - per ft.
	HOS-V60-VE070000	6" Dark Grey (700 Degree) Hose - per ft.
	HOS-V80-VE070000	8" Dark Grey (700 Degree) Hose - per ft.
900 Deg. High Temp (Hose Reel)	Eurovac Part No.	Description
		900 DEGREE HOSE Hose Clamp Connection: <ul style="list-style-type: none"> ● Bridge Clamp: CW (Right Hand) Weights: <ul style="list-style-type: none"> ● 4" Hose = .66 lbs per ft ● 5" Hose = .86 lbs per ft ● 6" Hose = 1 lbs per ft ● 8" Hose = 1.24 lbs per ft
	HOS-V40-VE090000	4" Red/Brown (900 Degree) Hose - per ft.
	HOS-V50-VE090000	5" Red/Brown (900 Degree) Hose - per ft.
	HOS-V60-VE090000	6" Red/Brown (900 Degree) Hose - per ft.
	HOS-V80-VE090000	8" Red/Brown (900 Degree) Hose - per ft.

1200 Deg. High Temp (Hose Reel)	Eurovac Part No.	Description
		1200 DEGREE HOSE Hose Clamp Connection: <ul style="list-style-type: none"> • Bridge Clamp: CW (Right Hand) Weights: <ul style="list-style-type: none"> • 4" Hose = 1.42 lbs per ft • 5" Hose = 1.68 lbs per ft • 6" Hose = 1.85 lbs per ft • 8" Hose = 2.43 lbs per ft
	HOS-V40-VE120000	4" Red/Brown (1200 Degree) Hose - per ft.
	HOS-V50-VE120000	5" Red/Brown (1200 Degree) Hose - per ft.
	HOS-V60-VE120000	6" Red/Brown (1200 Degree) Hose - per ft.
	HOS-V80-VE120000	8" Red/Brown (1200 Degree) Hose - per ft.
1500 Deg. High Temp (Hose Reel)	Eurovac Part No.	Description
		1500 DEGREE HOSE Hose Clamp Connection: <ul style="list-style-type: none"> • Bridge Clamp: CW (Right Hand) Weights: <ul style="list-style-type: none"> • 4" Hose = 1.56 lbs per ft • 5" Hose = 1.84 lbs per ft • 6" Hose = 2.03 lbs per ft • 8" Hose = 2.67 lbs per ft
	HOS-V40-VE150000	4" Red/Brown (1500 Degree) Hose - per ft.
	HOS-V50-VE150000	5" Red/Brown (1500 Degree) Hose - per ft.
	HOS-V60-VE150000	6" Red/Brown (1500 Degree) Hose - per ft.
	HOS-V80-VE150000	8" Red/Brown (1500 Degree) Hose - per ft.
2000 Deg. High Temp (Hose Reel)	Eurovac Part No.	Description
		2000 DEGREE HOSE Hose Clamp Connection: <ul style="list-style-type: none"> • Bridge Clamp: CW (Right Hand)
	HOS-V40-VE200000	4" Red/Brown (2000 Degree) Hose - per ft.
	HOS-V50-VE200000	5" Red/Brown (2000 Degree) Hose - per ft.
	HOS-V60-VE200000	6" Red/Brown (2000 Degree) Hose - per ft.
	HOS-V80-VE200000	8" Red/Brown (2000 Degree) Hose - per ft.