Crushproof Hose Tail Pipe Adaptors (Cars)

3" & 4" Threaded Crushproof Hose Adaptor	Eurovac Part No.	Description
		3" & 4" F475 to F675 THREADED CRUSHPROOF HOSE ADAPTORS Equipment Specs: • For 3" & 4" Crushproof Hose Only • F475 Oval Opening: 6-1/4"ID x 4-1/4" • F575 Oval Opening: 8"ID x 5-3/4" • F675 Oval Opening: 11"ID Includes: • Chain for securing to underside of car
	HOS-VEA- F4750000	F475 Crushproof Hose Adaptor ● 1.67 lbs
	HOS-VEA- F5750000	F575 Crushproof Hose Adaptor ■ 1.67 lbs
	HOS-VEA- F6750000	F675 Crushproof Adaptor ■ 3 lbs
3" & 4" Threaded Crushproof Hose FLUSH MOUNT Adaptor	Eurovac Part No.	Description
		3" & 4" F675 THREADED CRUSHPROOF HOSE FLUSH MNT ADAPTORS Equipment Specs: • For 3" & 4" Crushproof Hose Only • F675 Oval Opening: 11"ID Includes: • Suction cup for securing to car
	HOS-VEA- F675SC00	F675 Crushproof Hose Adaptor w/ Suction Cup (For Flush Mount) ● 3 lbs

3" Tail Pipe Adaptors (Cars)

3" Neoprene Adapter	Eurovac Part No.	Description
		3" NEOPRENE ADAPTORS Equipment Specs: • 5" x 4" Slotted Cover Opening • Slotted Cover is provided loose - glue in place if req'd
	SYS-VEH- TPA30000	3" Neoprene Adaptor w/ Slotted Cover

4" Tail Pipe Adaptors (Cars)

4" Adaptors w/ Vice Grip & Damper	Eurovac Part No.	Description
		4" ADAPTORS w/ VICE GRIP & DAMPER Equipment Specs: • 6" Opening • 4.50 lbs
	SYS-VEH- 58330000	4" Adaptor with Vice Grip & Damper
4" Adaptors w/ Blue Plastic Handle & Lid	Eurovac Part No.	Description
		4" ADAPTORS w/ BLUE PLASTIC HANDLE & LID Equipment Specs: • 6-1/4"ID x 3-1/2"ID Opening Includes: • Spring loaded interal stopper to ensure adaptor doesn't get inserted too far, thus allowing ambient air adaptor.
	SYS-VEH- TPA400LH	4" Blue Plastic Adaptor w/ Handle & Lid

4" Neoprene Adapters	Eurovac Part No.	Description
		4" NEOPRENE ADAPTORS Equipment Specs: • 5" x 4" Slotted Cover Opening • Slotted Cover is provided loose - glue in place if req'd
	SYS-VEH- TPA40000	4" Neoprene Adaptor w/ Slotted Cover
4" F475 to F675 Adaptors	Eurovac Part No.	Description
	HOS-VEA-	4" F475 to F675 ADAPTORS Equipment Specs: • F475 Oval Opening: 6-1/4"ID x 4-1/4" • F575 Oval Opening: 8"ID x 5-3/4" • F675 Oval Opening: 11"ID Includes: • 4" to 3" Enlarger for Connection To 4" VE Hose • Chain for securing to underside of car
	F475M000	4" F475 Adaptor
	HOS-VEA- F575M000 HOS-VEA-	4" F575 Adaptor
	F675M000	4" F675 Adaptor
2	HOS-VEA- F475M00J	4" F475 Adaptor w/ Quick Disconnect (Female)
	HOS-VEA- F575M00J	4" F575 Adaptor w/ Quick Disconnect (Female)
	HOS-VEA- F675M00J	4" F675 Adaptor w/ Quick Disconnect (Female)
4" F475 to F575 FLUSH MOUNT Adaptors	Eurovac Part No.	Description
		4" F475 to F575 FLUSH MOUNT ADAPTORS Equipment Specs: • Connection To 4" VE Hose • F475 Oval Opening: 6-1/4"ID x 4-1/4" • F575 Oval Opening: 8"ID x 5-3/4"
	HOS-VEA- F475MI00	4" F475 Adaptor w/ Exhaust Insert Connection (For Flush Mount)
	HOS-VEA- F575MI00	4" F575 Adaptor w/ Exhaust Insert Connection (For Flush Mount)
4" F675 FLUSH MOUNT Adaptors	Eurovac Part No.	Description
		4" F675 FLUSH MOUNT ADAPTORS Equipment Specs: • Enlarger included for Connection To 4" VE Hose • F675 Oval Opening: 11"ID Includes: • Suction cup for securing to car
	HOS-VEA- F675SCM0	4" F675 Adaptor w/ Suction Cup (For Flush Mount)
4" Galvanized Spring Loaded Adaptors	Eurovac Part No.	Description
		4" GALV SPRING LOADED ADAPTORS
	SYS-VEH- TPA4000G	4" Galv. Spring Loaded Tail Pipe Adaptor
	SYS-VEH- TPA40Q0G	4" Galv. Spring Loaded Adaptor w/ Quick Disconnect (Female)

4" Cart w/ Adjustable Adaptor	Eurovac Part No.	Description
		4" CART W/ ADJUSTABLE TAIL PIPE ADAPTOR
	SYS-VEH- TPA0P400	VE Cart w/ 4" Adjustable Tail Pipe Adaptor

5" Tail Pipe Adaptors (Cars)

5" F475 to F675 Adaptors	Eurovac Part No.	Description
And the second		5" F475 to F675 ADAPTORS Equipment Specs: • F475 Oval Opening: 6-1/4"ID x 4-1/4" • F575 Oval Opening: 8"ID x 5-3/4" • F675 Oval Opening: 11"ID Includes: • 5" to 3" Enlarger for Connection To 4" VE Hose • Chain for securing to underside of car
	HOS-VEA- F475M100	5" F475 Adaptor
	HOS-VEA- F575M100	5" F575 Adaptor
	HOS-VEA- F675M100	5" F675 Adaptor
	HOS-VEA- F475M10J	5" F475 Adaptor w/ Quick Disconnect (Female)
	HOS-VEA- F575M10J	5" F575 Adaptor w/ Quick Disconnect (Female)
	HOS-VEA- F675M10J	5" F675 Adaptor w/ Quick Disconnect (Female)
5" Galvanized Spring Loaded Adaptors	Eurovac Part No.	Description
		5" GALV SPRING LOADED ADAPTORS
	SYS-VEH- TPA5000G	5" Galv. Spring Loaded Tail Pipe Adaptor
	SYS-VEH- TPA50Q0G	5" Galv. Spring Loaded Adaptor w/ Quick Disconnect (Female)

6" Tail Pipe Adaptors (Cars)

6" Adaptors w/ Vice Grip & Damper	Eurovac Part No.	Description
		6" ADAPTORS w/ VICE GRIP & DAMPER Equipment Specs: • 7.5" Opening • 6.25 lbs
	SYS-VEH- 58310000	6" Adaptor with Vice Grip & Damper

6" F475 to F675 Adaptors	Eurovac Part No.	Description
		6" F475 to F675 ADAPTORS Equipment Specs: • F475 Oval Opening: 6-1/4"ID x 4-1/4" • F575 Oval Opening: 8"ID x 5-3/4" • F675 Oval Opening: 11"ID Includes: • 6" to 3" Enlarger for Connection To 4" VE Hose • Chain for securing to underside of car
·	HOS-VEA- F475M200	6" F475 Adaptor
	HOS-VEA- F575M200	6" F575 Adaptor
	HOS-VEA- F675M200	6" F675 Adaptor
	HOS-VEA- F475M20J	6" F475 Adaptor w/ Quick Disconnect (Female)
	HOS-VEA- F575M20J	6" F575 Adaptor w/ Quick Disconnect (Female)
	HOS-VEA- F675M20J	6" F675 Adaptor w/ Quick Disconnect (Female)
6" Galvanized Spring Loaded Adaptors	Eurovac Part No.	Description
		6" GALV SPRING LOADED ADAPTOR
	SYS-VEH- TPA6000G	6" Galv. Spring Loaded Tail Pipe Adaptor
	SYS-VEH- TPA60Q0G	6" Galv. Spring Loaded Adaptor w/ Quick Disconnect (Female)

8" Tail Pipe Adaptors (Cars)

8" Galvanized Spring Loaded Adaptors	Eurovac Part No.	Description
		8" GALV SPRING LOADED ADAPTORS
	SYS-VEH- TPA8000G	8" Galv. Spring Loaded Tail Pipe Adaptor
	SYS-VEH- TPA80Q0G	8" Galv. Spring Loaded Adaptor w/ Quick Disconnect (Female)

Adaptor Optional Upgrades

Adaptor Optional Upgrades	Eurovac Part No.	Description
		QUICK DISCONNECT HOSE CONNECTION (MALE) Equipment Specs: • Require one per hose for connection with Female Quick Disconnects attached to each adaptor
	HOS-MCC- 5260T110	4" Quick Disconnect Hose Connection (Male)
	HOS-MCC- 5260T120	5" Quick Disconnect Hose Connection (Male)
	HOS-MCC- 5260T130	6" Quick Disconnect Hose Connection (Male)
	HOS-MCC- 5260T140	8" Quick Disconnect Hose Connection (Male)
		VICE GRIP UPGRADE Equipment Specs: • For Crushproof & Neoprene Adaptors
	HOS-VEA- F575M1V0	Vice Grip Upgrade



	DAMPER UPGRADE
UPG-VEH- CRUD0000	Damper Upgrade

Stack Adaptors (Trucks & Buses)

Stack Adaptors	Eurovac Part No.	Description
		STACK ADAPTORS Equipment Specs: • Galv adaptor body w/ rubber sleeve Includes: • 2 - Side pockets for lifting pole
	SYS-VEH- TP06060R	6" to 6" Rubber Stack Adaptor • 4.85 lbs
	SYS-VEH- TP06080R	6" to 8" Rubber Stack Adaptor
	SYS-VEH- TP08080R	8" to 8" Rubber Stack Adaptor • 5 lbs
	SYS-VEH- TP08010R	8" to 10" Rubber Stack Adaptor
	SYS-VEH- TJ06060R	6" to 6" Rubber Stack Adaptor w/ Quick Disconnect (Female)
	SYS-VEH- TJ06080R	6" to 8" Rubber Stack Adaptor w/ Quick Disconnect (Female)
	SYS-VEH- TJ08080R	8" to 8" Rubber Stack Adaptor w/ Quick Disconnect (Female)
	SYS-VEH- TJ08010R	8" to 10" Rubber Stack Adaptor w/ Quick Disconnect (Female)

Stack Adaptor Optional Upgrades

Eurovac Part		
Stack Adaptor Optional Upgrades	No.	Description
		QUICK DISCONNECT HOSE CONNECTION (MALE) Equipment Specs: • Require one per hose for connection with Female Quick Disconnects attached to each adaptor
	HOS-MCC- 5260T130	6" Quick Disconnect Hose Connection (Male)
	HOS-MCC- 5260T140	8" Quick Disconnect Hose Connection (Male)
		VICE GRIP UPGRADE Equipment Specs: • For Crushproof & Neoprene Adaptors
	SYS-VEH- TP06060V	Vice Grip Upgrade
		DAMPER UPGRADE
	UPG-VEH- CRUD0000	Damper Upgrade
		PLIABLE INTERLOCK HOSE UPGRADE Application: • Interlock hose slides into exhaust stack of a truck or bus, creating a more secure fit.
	UPG-CRUD	Pliable Interlock Hose Upgrade